

## NOTICE OF PROPOSED ACTION

The Administrator, Division of Environmental Protection, Carson City, Nevada is issuing the following notice of proposed action under the Nevada Revised Statutes and the Clean Water Act. The Administrator has received a complete application for water pollution control discharge permit NEV2002504 from the following applicant:

A-1 Septic and Drain Service  
David L. McCarter  
5011 Reno Highway  
Fallon, Nevada 89407-2603

The Applicant proposes to land apply domestic septage to forty acres of nutrient deficient agricultural land at the 110-acre Tom Wiley Farm, west of Fallon, Churchill County, Nevada. Domestic septage must be incorporated into the soil within six hours of land application. The Applicant was authorized, as David L. McCarter dba A-1 Septic Tank Service, to apply domestic septage and grease trap material at this site from November 7, 2001 through May 6, 2002, under temporary permit TNEV2001389.

On the basis of preliminary review of the requirements of the Nevada Revised Statutes, as amended, and implementing regulations, the Administrator proposes to issue a permit, NEV2002504, to discharge for a five (5) year period, subject to certain effluent limitations.

Persons wishing to comment upon or object to the proposed determinations by the Administrator regarding permit issuance or request a hearing pursuant to the Nevada Administrative Code, Water Pollution Control, should submit their comments or request, in writing, within thirty (30) days either in person or by mail to:

Department of Conservation and Natural Resources  
Division of Environmental Protection  
Bureau of Water Pollution Control  
333 West Nye Lane  
Carson City, Nevada 89706-0851

Comments or objections must be received within the thirty (30) day comment period, which begins on the date of this publication. Comments and/or hearing requests postmarked or received via facsimile or e-mail before 5:00 P.M. September 6, 2002 will be considered in the formulation of final determination(s) regarding the application. If written comments indicate a significant degree of public interest in the proposed permit, the Administrator shall hold a public hearing. A public notice of such hearing will be issued not less than thirty (30) days prior to the hearing date.

If no hearing is held and the determinations of the Administrator are substantially changed from the tentative determinations, the Administrator will give public notice of the revised determinations. Additional comments and objections will be considered at that time.

The application, proposed permit, comments received, and other information are on file and may be copied or copies may be obtained by writing to the above address or by contacting Bruce Holmgren, Bureau of Water Pollution Control at (775) 687-9423, or at [bholmgre@ndep.state.nv.us](mailto:bholmgre@ndep.state.nv.us). The office facsimile number is (775) 687-4684.